

<b>ROCKY FLATS ENVIRONMENTAL TECHNOLOGY SITE HEALTH AND SAFETY PLAN ACCIDENT PREVENTION SAFETY PROGRAM PLAN INT. OPER. UNITS</b>	<b>Manual No.: Section No. Page: Effective Date: Organization: Environmental Restoration Mgmt</b>	<b>RFP/ERM-94-00019 Table of Contents, R3 1 of 2 02/09/95</b>
--	---	---

**TABLE OF CONTENTS  
HEALTH AND SAFETY PLAN  
ACCIDENT PREVENTION SAFETY PROGRAM PLAN  
INTEGRATED OPERABLE UNITS**

<b><u>Section No.</u></b>	<b><u>Title</u></b>	<b><u>Rev. No.</u></b>	<b><u>Effective Date</u></b>
	Detailed Table of Contents	0	11/04/94
95-DMR-ERM-0004	Personnel and Site Condition Changes to OU9 Affects sections 2,5,6,7,8,9,10,APPC	0	01/12/95
1.0	Introduction	0	11/04/94
2.0	Health and Safety Personnel	0	11/04/94
3.0	Facility Characteristics	0	11/04/94
4.0	General Health and Safety Requirements	0	11/04/94
5.0	Hazard Evaluation	0	11/04/94
6.0	Personnel and Air Monitoring	0	11/04/94
7.0	Work Zone	0	11/04/94
8.0	Personal Protective Equipment	0	11/04/94
9.0	Decontamination Procedures	0	11/04/94
10.0	Emergency Response Plan	0	11/04/94
11.0	Logs, Reports, and Record Keeping	0	11/04/94
12.0	References	0	11/04/94
APPA	Appendix A: Personal Protective Equipment and Monitoring Requirements	0	11/04/94
•95-DMR-ERM-0013	New Contaminants	0	10/26/94
APPB	Appendix B: Jacobs' Medical Surveillance Procedures	0	11/04/94

<b>ROCKY FLATS ENVIRONMENTAL</b>	<b>Manual No.:</b>	<b>RFP/ERM-94-00019</b>
<b>TECHNOLOGY SITE</b>	<b>Section No.</b>	<b>Table of Contents, R3</b>
<b>HEALTH AND SAFETY PLAN</b>	<b>Page:</b>	<b>2 of 2</b>
<b>ACCIDENT PREVENTION SAFETY</b>	<b>Effective Date:</b>	<b>02/09/95</b>
<b>PROGRAM PLAN INT. OPER. UNITS</b>	<b>Organization:</b>	<b>Environmental Restoration Mgmt</b>

<b><u>Section No.</u></b>	<b><u>Title</u></b>	<b><u>Rev. No.</u></b>	<b><u>Effective Date</u></b>
APPC	Appendix C: Jacobs Engineering Group Standard Operating Procedures	0	11/04/94
•95-DMR-ERM-0007			
•APPD	Appendix D: Addendum to the Health & Safety Plan Accident Prevention Safety Program Plan (RFP/ER-TM1-93-OU9.2) Stage One Activities for OU9: Investigation of Tanks Outside Large Buildings	0	01/18/95

## DOCUMENT MODIFICATION REQUEST (DMR)

Page - 1 of 1

Refer to 1-A01-PPG-001 for Processing Instructions.  
Print or Type All Information (Except Signatures)

1. Date

10-26-94

25.

DMR. No. 97-DMR-ERM-0013

2. Existing Document Number/Revision

97-DMR-00019

3. New Document Number or Document Number if it is to be changed with this Revision

NA

4. Originator's Name/Phone/Page/Location

Michael F. McHugh x8624/25958/080

5. Document Title

Integrated Operable Unit HAS Plan

6. Document Type ☐ Procedure☒ Other HAS Plan

7. Document Modification Type (Check only one)

☐ New ☐ Revision ☐ Intent Change ☒ Nonintent Change ☐ Editorial Correction ☐ Cancellation

8. Item

App.A

9. Page

10. Step

11. Proposed Modifications

Update HAS document to approved field changes.

12. Justification (Reason for Modification, EJO#, TPF, etc.)

New contaminants found in HAS 131 during routine sampling operations.

If modification is for a new procedure or a revision, list concurring disciplines in Block 13, and enter N/A in Blocks 14 and 15. If modification is for any type of change or a cancellation, organizations are listed in Block 13, then Concuror prints, and signs in Block 14, and dates in Block 15.

13. Organization

14. Print and Sign (if applicable)

15. Date (if applicable)

ERHSO

KIRN ANDERSON [S]

10/26/94

HAS/SHAW

DEBBY SCHRECKENGART [S]

10/20/94

Pig Man

MICHAEL E. McHUGH [S]

10/28/94

QA

STEVE LUTKER

2-7-95

16. Originator's Supervisor (print/sign/date)

17. Assigned SME/Phone/Page/Location

ME McHugh x8624/25958/080

18. Cost Center

19. Charge Number

20. Requested Completion Date

21. Effective Date

22. Accelerated Review?

Yes ☐ No ☒

23. ORC Review

Not Required

10/26/94

24. Responsible Manager (print, sign, date)

BD [Signature] for 3D [Signature] 10/23/94

REVIEWED FOR CLASSIFICATION/UCN

BY NA  
DATE NA

Received for distribution on 2/1/95 [Signature]

# OU 14 HEALTH & SAFETY PLAN

## EG&G HASP FIELD CHANGE FORM

Field Change Number: FCN-IDU-001-94

Effective Date: 10-20-94

Requested by: THOMAS C. WADDLE  
(Print Name)

[Signature] 10-20-94  
Signature/Date

Pen and Ink changes to be made to the HASP to alert the reader of this change:

APPENDIX A: OU 14, IHSS 131; ADD THE FOLLOWING:  
CONTAMINANT - DIESEL PRODUCTS, INSTRUMENT - PID, RANGE -  
0-2000 PPM, ACTION LEVELS = 0 - BACKGROUND (MODIFIED LEVEL D), > BACKGROUND  
SUSTAINED FOR > 15 MIN (LEVEL C).

Reason for the change to be incorporated into the HASP:

NEW CONTAMINANTS FOUND IN IHSS 131 DURING ROUTINE  
SAMPLING OPERATIONS.

Text of change to be incorporated:

SUSPECT CONTAMINANTS: PLUTONIUM, DIESEL PRODUCTS				
MONITORING REQUIREMENTS			ACTION LEVELS	
CONTAMINANTS	INSTRUMENT	RANGE	MODIFIED LEVEL D	LEVEL C
DIESEL PRODUCTS	PID	0-2000 PPM	0 - BACKGROUND	> BACKGROUND SUSTAINED > 15 min.

NOTES: IF ANY PID READINGS > BACKGROUND IN BREATHING ZONE, THEN  
BACK-OFF FOR 15 MIN. RE-SAMPLE BREATHING ZONE AFTER 15 MIN.,  
IF READINGS STILL > BACKGROUND, THEN LEVEL C RESPIRATORY  
PROTECTION REQUIRED FOR WORK TO CONTINUE. MUST USE GMC-H  
CARTRIDGES.

APPROVALS:

[Signature] 10/26/94

H&S Area Administrator/Date (ERHSO)  
MD. Schuckengast 10-20-94

H&S Liaison Officer/Date  
[Signature] 10-25-94

Unit Manager/Date

AS NEEDED CONCURRENCE:

N/A

Occupational Safety

N/A

Radiological Engineering

MD. Schuckengast 10-20-94

Industrial Hygiene

N/A

Occupational Health

N/A

Fire Department

N/A

Radiological Operations

